

# Crack Attack TM

## Concrete Crack Filler

#### PRODUCT APPLICATION GUIDE

**CRACK ATTACK™** concrete crack filler is a two component, hybrid polymer crack fill and spall repair system with a very rapid-cure time.

**Tools needed:** Measuring container, trowel

CRACK ATTACK™ concrete crack filler is designed for the treatment of cracked and spalled concrete. Area must be properly prepared and dry prior to CRACK ATTACK™ concrete crack filler application.

### **Application:**

- Step 1. Add 1 unit of measure part B to 1 unit of measure part A in a clean measuring cup and swirl in a circular motion 5-6 times to mix the two components.
- Step 2. Crimp the mixing cup to form a v-spout and pour CRACK ATTACK™ concrete crack filler over the crack or spalled area to be treated. Use a squeegee or putty knife to push excess material into area being treated.
- Step 3. If the crack or spalled area is wide or deep, sand may be added to the crack or spalled area followed by mixed CRACK ATTACK<sup>TM</sup> concrete crack filler to saturate the sand. It may be necessary to build layer upon layer until level with the surface.
- Step 4. Once level, strike off last wet layer with trowel to smooth, or wait until dry and grind smooth.

#### Tips:

When using the 600 ml dual barrel caulking gun, simply follow the instructions provided with the containers and use as a regular caulking gun.

Disclaimer: The info herein is general to assist our customers in determining whether TruCrete, Inc® products are suitable for their specific applications. TruCrete Inc® products are intended for sale to trained installers. We recommend that customers inspect and test our products before use to satisfy themselves as to the content and suitability for the applications intend to use TruCrete, Inc.® products for. Nothing herein shall constitute any warranty expressed or implied, including any warranty of merchantability or fitness for a part purpose, nor is any protection from any law or patent to be inferred. The exclusive remedy for all proven claims is replacement of our materials and in no event shall we be liable for incidental or consequential damages.

